

Zoning Regulations	RR	D-1	D-3	D-5	D-10 SF	D-10	D-15	D-18	MU	MU2	MU3	NC	LC	GC	WC	WI	I
--------------------	----	-----	-----	-----	---------	------	------	------	----	-----	-----	----	----	----	----	----	---

Common wall dwelling				60'	40'	40'	30'	20'		20'								
Minimum lot depth	150'	150'	100'	85'	85' ¹⁰	85'	80'	80'	80'	80'	80'	None	None	80'	60'	60'	60'	60'
Maximum lot coverage																		
Permissible uses	10%	10%	35%	50%	50%	50%	50%	50%	50%	None	80%	75%	None	None	None	None	None	None
Conditional uses	20%	20%	35%	50%	50%	50%	50%	50%	50%	None	80%			None	None	None	None	None
Maximum height permissible uses	45'	35'	35'	35'	35'	35'	35'	35'	35'	None	45' ⁴	35'	35'	45'	55'	35' ⁴	45' ⁴	None
Accessory	45'	25'	25'	25'	25'	25'	25'	25'	25'	None	35'	25'	25'	35'	45'	35' ⁴	45' ⁴	None
Bungalow ⁹		25'	25'	25'	25'	25'	25'	25'										
Minimum front yard setback ³	25'	25'	25'	20'	20' ¹⁰	20'	20'	20'	0'	5' ^{5,8}	0'	0'	25'	10'	10'	10'	10'	
Maximum front yard setback											20'	15'						
Minimum street side yard setback	17'	17'	17'	13'	10'	13'	13'	13'	0'	5'	0'	0'	17'	10'	10'	10'	10'	

Zoning Regulations	RR	D-1	D-3	D-5	D-10 SF	D-10	D-15	D-18	MU	MU2	MU3	NC	LC	GC	WC	WI	I
Maximum street side yard setback											15'	10'					
Minimum rear yard setback ³	25' ²	25'	25'	20'	10'	20'	15'	10'	0'	5'	5'	0' ¹¹	10'	10'	10'	10'	10'
Minimum side yard setback ³	15' ²	15'	10'	5'	3'	5'	5'	5'	0'	5'	0'	0' ¹¹	10'	10'	10'	10'	0'
Common wall dwelling				10' ⁶	3'	5' ⁷	5' ⁷	5' ⁷		5' ⁷							

Notes:

1. Minimum lot size is existing lot or area shown on chart in square feet.
2. Sixty feet between nonresidential and designated or actual residential site; 80 feet between industrial, extractive and other uses.
3. Where one district abuts another the greater of the two setbacks is required for both uses on the common property line.
4. (Height Bonus) Reserved.
5. (Pedestrian Amenities Bonus) Reserved.
6. Zero-foot setback for the portion of the dwelling with a common wall, five-foot setback or five-foot wide easement for the portion of the dwelling at the common lot line without a common wall, and ten-foot setback for the remaining side yards of the lot.
7. Zero-foot setback for the portion of the dwelling with a common wall, five-foot setback or five-foot wide easement for the portion of the dwelling at the common lot line without a common wall, and five-foot setback for the remaining side yards of the lot.
8. On corner lots, buildings shall be set back 15 feet from a street intersection. The area in which buildings shall be prohibited shall be determined by extending the edge of the traveled ways to a point of intersection, then measuring back 15 feet, then connecting the points.
9. Special restrictions apply to construction on bungalow lots. See special use provisions 49.65.600.
10. For lots adjacent to an alley, the following reductions to the dimensional standards apply:
 - (a) Minimal lot area includes 50% of adjacent alley (see graphic).
 - (b) Minimal lot depth includes 50% of the width of adjacent alley.
 - (c) Minimum front yard setback of ten feet.
11. Additional setbacks apply when lot abuts a multi-family or single-family residential zoning district.